

### Case study: SCD Luisina

SCD Luisina increases capacity and improves productivity with an automated miniload warehouse

Location: France



Founded in 1989, SCD Luisina is a company dedicated to the design and distribution of kitchen and bathroom accessories. With more than 1,000 orders a day, the company has relied on the automation offered by the Mecalux miniload warehouse for boxes to manage the logistics process of its center located in Servon-sur-Vilaine (France). It has also implemented the Easy WMS by Mecalux and the Galileo control program.



The 26' high warehouse consists of a single aisle with 98' long, double-depth racking. The 17 level racks contain a storage capacity of more than 4,000 boxes of 23" x 16" x 9"/13" and a maximum weight of 110 lbs each.

A twin-mast stacker crane is in charge of connecting the miniload racks to the conveyor circuit and incorporates a double-box, double-depth extraction system, which can handle two boxes at a time. The extractor picks up boxes from either side with its independently moving blade and double joists. The first box is moved to the opposite side from where the second extraction will be performed.

There is a picking area at the front of the automated warehouse, which links to the miniload racking thanks to a conveyor circuit.

The automated miniload warehouse of SCD Luisina stores more than 4,000 boxes with medium and small-sized products



The miniload is an automated storage system for boxes that is an all-in-one installation with racks, stacker crane, conveyors and the warehouse management system. The solution implemented in the SCD Luisina warehouse is ideal for storing and picking according to the "goods-to-person" principle.

### Put and pick-to-light racking

These 26' high shelves, with a capacity for 192 boxes spread over four levels, are used to deposit the items once products from the miniload automated warehouse are picked. The racks contain the put and pick-to-light

system on the side closest to the automated miniload warehouse, so operators know where to leave each item. Once the order is completed, the box is pushed to the opposite side, where a light indicator reports that the order is finished.



### Consolidation, packaging and replenishment area

Two conveyor circuits are enabled that connect with the automated miniload warehouse. Empty boxes arrive from the picking area on the top circuit, the operator fills them with the relevant articles and deposits them on the lower circuit which returns to the miniload installation to be stored.

Next to the racks with put and pick-to-light devices, there is the area for consolidation, packaging, labeling and issuance of documentation required for dispatch. Personnel have access to packing boxes of different sizes, prep tables, computers and printers to complete order prep operations.



### Easy WMS and Galileo

The warehouse management system, the Easy WMS by Mecalux, is the brain that directs all necessary functions in the general operations within the SCD Luisina warehouse. Some of these functions include:

- Managing incoming goods from receptions.
- Assigning locations of boxes based on consumer and turnover criteria, which aims to achieve maximum productivity.

- Organization and management of stock.
- Control of the automated miniload warehouse outputs.
- Picking, consolidation, issuing of labels and pre-shipment documentation.

The running of movements is ordered through the Galileo control module, tasked with monitoring all actions that must be performed by the different moving devices to take goods from one point of the SCD Luisina warehouse to another.



Parallel to the miniload installation, there is a 29' high pallet warehouse with an initial capacity of 2,700 pallets. At lower racking levels, bulkier goods and consumer goods are housed so that the operator can perform picking directly from the pallet. Reserves of each product are stored in upper spaces.

Pallet racking allows direct access to each pallet, safely storing the maximum number of unit loads in an organized manner



### Advantages for SCD Luisina

- **Improved storage capacity:** the miniload warehouse of SCD Luisina offers a storage capacity of more than 4,000 boxes of 23" x 16".
- **Accrual productivity:** greater picking speeds thanks to the high degree of warehouse automation.
- **Perfect inventory control:** the Mecalux Easy WMS and the Galileo control program manage all the flows, processes and operations that take place within the SCD Luisina warehouse.



### Technical data

#### Miniload warehouse

Storage capacity	4,032 boxes
Box sizes	23" x 16" x 9"/13"
Max. weight per box	110 lbs
Racking height	26'
Aisle length	98'

#### Pallet racking warehouse

Storage capacity	2,700 pallets
Pallet sizes	47" x 51" x 39"/82"
Racking height	29'